



Product range
2014



SPARK VRT T4i

NEVER-ENDING MULTIPURPOSE CAPABILITIES.

Three tractors all in one.

Lamborghini Spark also boasts an innovative and versatile infinitely variable ratio transmission.

This type of transmission means a fast and accurate selection of the engine speed and forward speed, optimising performance and productivity. Four mechanical operating ranges, in combination with the hydrostatic element make it possible to accelerate from 0 to 50 km/h (where permitted) with continuous speed and no interruptions. Three electronically interchangeable driving strategies, for working in automatic, manual and PTO, provide three machines in one. Giugiaro Design is also responsible for the style of the Spark VRT interiors combining the smooth and modern line of the hood with a top level quality finish of the internal cab layout. The design of the new MaxiVision cab ensure excellent comfort, providing the best conditions for the driver during those long, hard work days.



SPARK VRT		120.4 VRT	130.4 VRT	140.4 VRT	150.4 VRT	160.4 VRT	160 VRT	180 VRT	190 VRT
Maximum power with boost	kW/hp	-	-	106/ 144	113/ 153	122/ 166	122/ 166	129/ 176	142/ 193
Maximum power	kW/hp	87/ 118	94/ 128	99/ 135	110/ 149	116/ 158	116/ 158	123/ 167	124/ 169
Power at rated engine speed with boost	kW/hp	-	-	104/ 141	104/ 141	120/ 163	120/ 163	128/ 174	142/ 193
Power at rated engine speed	kW/hp	84/ 114	91/ 124	95.5/ 130	101/ 137	114/ 155	114/ 155	121/ 165	121/ 165

- 4 or 6 cylinder, 4 valve DEUTZ 4.1/6.1 Common Rail Tier 4i engine, turbo intercooler, with electronic governor and post emission control with SCR system (Ad-Blue)
- hydraulic reverse shuttle with dual multiplate wet clutch
- VRT continuously variable transmission, infinitely variable speeds from 0 to 50Km/h
- Electronic hitch control with radar and 540/540ECO/1000/1000ECO 4 speed power take off

- "Load Sensing" open or closed centre hydraulic system with variable displacement pump
- MaxiVision cab with Work-display, backlit digital instrument panel and light control panel
- Multifunction armrest with joystick controller for managing the main tractor functions
- iMonitor2 with ISO-bus system and integrated GPS
- Giugiaro Design



DETAILS

(FROM THE LEFT)

- New multifunction armrest with integrated iMonitor2
- High visibility roof
- Work-display monitor

